

Supplementary Information

A new approach to heterocycle-modified steroids via nitrile oxide intermediates

Alexander V. Baranovsky^{a*}, Dmitry A Bolibrukh^a, Vladimir A. Khripach^a,
Bernd Schneider^b

^a*Institute of Bioorganic Chemistry, National Academy of Sciences of Belarus,
Kuprevich str. 5/2, 220143, Minsk, Belarus*

^b*Max-Planck-Institute for Chemical Ecology, Beutenberg Campus, Hans Knöll Str. 8, D-07745
Jena, Germany*

E-mail: baranovsky@iboch.bas-net.by

The paper is dedicated to Professor Oleg G. Kulinkovich on occasion of his 60th birthday

Contents	Page No
1. ¹³ C NMR Spectrum of 7a	2
2. ¹³ C NMR Spectrum of 7d	3
3. ¹³ C NMR Spectrum of 7e	4
4. ¹³ C NMR Spectrum of 7f	5
5. ¹³ C NMR Spectrum of 7h	6
6. ¹³ C NMR Spectrum of 7i	7
7. ¹³ C NMR Spectrum of 8b	8
8. ¹³ C NMR Spectrum of 8c	9
9. ¹³ C NMR Spectrum of 8g	10
10. ¹³ C NMR Spectrum of 9d	11
11. ¹³ C NMR Spectrum of 9f	12
12. ¹³ C NMR Spectrum of 10b	13
13. ¹³ C NMR Spectrum of 10c	14

























