

Professor Giuseppe Bartoli

A Tribute



It is a real pleasure for me to write a tribute to Professor Giuseppe Bartoli on the occasion of his approaching 65th birthday. From the day of our first meeting in 1976, at the University of Bologna, I have considered him as a role model, a source of inspiration and a genuine asset to my profession. Now that I am a long way from Bologna, I miss the long games of “tressette” (an Italian game with cards) during lunch break and discussions on chemistry. Professor Bartoli has certainly reached an eminent position among present day scientists, as I aim to demonstrate by writing these brief notes about the areas in which he has achieved distinction.

Giuseppe “Pino” Bartoli was born in Rottofreno, on May 25, 1941. He was awarded his degree in Industrial Chemistry from the University of Bologna in 1967. Then, following his first mentor, Professor Todesco, at the University of Bari, he started his academic career as Assistant Professor of Organic Chemistry in 1968. There, he met a young colleague, Marcella Bosco, the woman who would become his wife, the mother of their daughter Francesca, but chiefly the harshest critic of his chemical work. He moved in 1976 to the University of Bologna, where he became Associate Professor of Organic Chemistry in 1980, and then to the University of Camerino in 1986, as Full Professor. In 1993 he finally came back to Bologna, where his family continued living from 1975. He is currently Professor of Organic Chemistry at the Faculty of Industrial Chemistry, at the same institute where he took his first steps as student and researcher.

From 1999 to 2001, he was a member of the Board of Directors of the Division of Organic Chemistry of the Italian Chemical Society (SCI). He has held the position of Head of the Department of Organic Chemistry ‘A. Mangini’, at the University of Bologna, since November 2001. He is the author of over 160 papers in the most important international journals dealing with his research interests.

Professor Bartoli’s scientific career began with studies on free energy relationships. He demonstrated that differences in reactivity, expressed by rate constants for the attack of

nucleophiles at aromatic sites in S_NAr reactions as the polarizability of nucleophile was varied, depended linearly on the polarizability of the nucleofuge for a fixed substrate framework. As a further development, he also proposed a relationship, which separated the contribution of basicity and polarizability of nucleophile, nucleofuge and substrate framework.

Then, during his studies on S_NAr reactions, he discovered that the reaction of Grignard reagents with nitroarenes was a very useful synthetic tool. He rationalised the mechanism on the basis of a SET pathway, where the geometry of the alkyl radical influences the site of collapse on the nitroarene radical anion viz: alkyl radicals on the ring, allyl radicals on the nitrogen atom and vinyl radicals on the oxygen atom. Taking these observations into account, Professor Bartoli showed that the alkyl Grignard reaction behaved as a process analogous to the Friedel-Crafts reaction proceeding with reversed polarity. Contemporarily but independently from Prof. Makosza's work on VNS Prof. Bartoli devised the best reagents for oxidizing, dehydrating and reducing unstable nitronate-adduct intermediates. The attack of vinyl Grignard reagents on the oxygen atom of nitroarene radical anions led to an indole synthesis now named "*Bartoli indole synthesis*" in many textbooks monographs and papers. This *de novo* construction of the indole ring is now one of the most widely used syntheses of 7-substituted indoles.

A laboratory accident moved Prof. Bartoli's chemical interests from nitroarenes to dianions of enamino ketones, and now Bartoli's rules for the regioselective alkylation of enamino ketone dianions are cornerstones in this field. The chance to selectively alkylate the α or γ -position of an enaminone moiety allowed the synthesis of many heterocyclic systems, such as pyridine, pyrimidine, pyranones and furans. Moreover the alkyl group on the nitrogen atom was used as a chiral auxiliary for enantioselective alkylation of the γ -position.

In the early 90's, Prof. Bartoli's interest moved towards cerium-mediated organic chemistry. First, he was fascinated by the chemistry of organocerium reagents in addition to easily enolizable electrophiles. Then he discovered that cerium was not a chelating metal and he stated the rules for the stereoselective reduction of functionalised ketones in the presence of a Lewis acid promoter. Reductions with chelating agents, such as titanium tetrachloride, and with non-chelating agents, such as cerium trichloride, proceed through a cyclic or a Felkin-Ahn transition state respectively, leading to opposite stereochemical outcomes. Prof. Bartoli found that the complex formed by cerium (III) chloride and sodium iodide showed strong Lewis acid character. These reagents are cheap, non-toxic and water tolerant, so all the protocols they are involved in are environmentally benign, in contrast to more common, but non-water tolerant and toxic Lewis acid reagents. Due to these characteristics, $CeCl_3/NaI$ system has rapidly become a widely employed catalytic system. These discoveries prompted Prof. Bartoli to leave organometallic chemistry and to focus mainly on stereo and enantioselective Lewis-acid-catalysed reactions with magnesium and zinc perchlorates the ultimate topic of his research work.

The contributors to this issue are colleagues and friends who would like to join me in wishing him "ad multos annos"

Prof. Renato Dalpozzo
Dipartimento di Chimica
Università della Calabria
I-87030 Arcavacata di Rende ITALY
Email dalpozzo@unical.it

Selected publications of Prof. Bartoli

1. G. Bartoli; F. Ciminale; P. E. Todesco: Electronic and steric effects in nucleophilic aromatic substitution: reaction of phenoxides as nucleophiles in dimethylsulfoxide. *J. Org. Chem.* **1975**, *40*, 872.
2. G. Bartoli; M. Fiorentino; P. E. Todesco: Reactions of 2,4-dinitrobenzenes with nucleophiles a new correlation between reactivities and substrate polarizability. *J. Am. Chem. Soc.* **1977**, *99*, 6874.
3. G. Bartoli; P. E. Todesco: Nucleophilic aromatic substitution: linear free relationships between reactivity and physical properties of leaving group and substrates. *Acc. Chem. Res.* **1977**, *10*, 125.
4. G. Bartoli; M. Bosco; G. Pezzi: Conjugate addition of Grignard reagents to *p*-nitrotoluene. competitive attack of entering alkyl group to ortho and para positions. *J. Org. Chem.* **1978**, *43*, 2932.
5. G. Bartoli; M. Bosco; R. Dalpozzo; F. Ciminale: Conjugate Addition of RMgX to mononitroarenes. unequivocal evidence for a single-electron-transfer mechanism. *J. Org. Chem.* **1982**, *47*, 5227.
6. G. Bartoli: Conjugate addition of alkyl Grignard reagents to mononitroarenes. *Acc. Chem. Res.* **1984**, *17*, 109.
7. G. Bartoli; M. Bosco; R. Dalpozzo: Grignard reagents selective attack to nitroarenic function in the presence of other electrophilic groups. *Tetrahedron Lett.* **1985**, *26*, 115.
8. R. Ballini; G. Bartoli; M. Bosco; R. Dalpozzo; E. Marcantoni: Alkylation orientation rules in conjugate addition of grignard reagents to nitropyrrole and nitrothiophene systems. *Tetrahedron* **1988**, *44*, 6435.
9. L. Barboni; G. Bartoli; E. Marcantoni; M. Petrini; R. Dalpozzo: *N*-Allylhydroxylamines from 1,2-addition of allyl Grignard reagents to nitro compounds: generality and drawbacks of the reaction. *J. Chem. Soc., Perkin Trans. 1* **1990**, 2133.
10. G. Bartoli; M. Bosco; R. Dalpozzo; G. Palmieri; M. Petrini: Mechanistic studies on the reaction of nitro- and nitrosoarenes with vinyl Grignard reagents. *J. Chem. Soc., Perkin Trans. 2* **1991**, 657.
11. G. Bartoli; M. Bosco; C. Cimarelli; R. Dalpozzo; G. Palmieri: *C*-Alkylation of dianions of β -(isopropylamino)- α,β -enones. *Synlett* **1991**, 229.

12. G. Bartoli; M. Bosco; C. Cimarelli; R. Dalpozzo; M. Guerra; G. Palmieri: Selectivity in C-alkylation of dianions of acyclic β -enamino ketones. *J. Chem. Soc., Perkin Trans. 2* **1992**, 649.
13. G. Bartoli; E. Marcantoni; M. Petrini: Nitrones from addition of benzyl and allyl Grignard reagents to alkyl nitro compounds: chemo-, regio-, and stereoselectivity of the reaction. *J. Org. Chem.* **1992**, 57,5834.
14. G. Bartoli; M. Bosco; C. Cimarelli; R. Dalpozzo; G. De Munno; G. Palmieri: Stereoselective alkylation of cyclic and acyclic chiral β -enamino ketones lithium dianions: synthesis of either (R)- or (S)-chiral 1,3-diketones. *Tetrahedron Asymmetry* **1993**, 4, 1651.
15. G. Bartoli; E. Marcantoni; M. Petrini: Cerium (III) chloride mediated addition of Grignard reagents to 1,3-diketones. *Angew. Chem., Int. Ed. Eng.* **1993**, 32, 1061.
16. G. Bartoli; C. Cimarelli; E. Marcantoni; G. Palmieri; M. Petrini: Chemo- and diastereoselective reduction of β -enamino esters: a convenient synthesis of both *cis*- and *trans*- γ -amino alcohols and β -amino esters. *J. Org. Chem.* **1994**, 59, 5328.
17. G. Bartoli; E. Marcantoni; L. Sambri; M. Tamburini: Cerium(III) chloride promoted nucleophilic addition of organolithium reagents to α -alkyl- β -ketophosphine oxides; a new protocol for the synthesis of stereochemically defined trisubstituted olefins. *Angew. Chem. Int. Ed. Eng.* **1995**, 32, 2046.
18. G. Bartoli; M. Bosco; L. Sambri; E. Marcantoni; R. Dalpozzo: Opposite stereochemical effects exerted by CeCl_3 and TiCl_4 on the Lewis acid mediated reduction of α -alkyl- β -ketophosphine oxides with metallic hydrides: a highly stereoselective protocol for the synthesis of both *syn* and *anti* α -alkyl- β -hydroxyphosphine oxides. *Chem. Eur. J.* **1997**, 3, 1941.
19. G. Bartoli; M. C. Bellucci; M. Bosco; R. Dalpozzo; E. Marcantoni; L. Sambri: Highly diastereoselective reduction of α -alkyl- β -hydroxy ketones with sodium and lithium hydrides *via* their titanium alcoholates. *Tetrahedron Lett.* **1999**, 40, 2845.
20. G. Bartoli; M. C. Bellucci; M. Bosco; E. Marcantoni; L. Sambri; E. Torregiani: Cerium(III) chloride catalyzed michael reaction of 1,3-dicarbonyl compounds and enones in the presence of sodium iodide under solvent free conditions. *Eur. J. Org. Chem.* **1999**, 617.
21. S. Alessandrini; G. Bartoli; M. C. Bellucci; M. Bosco; M. Malavolta; E. Marcantoni; L. Sambri: Reversed stereochemical control in the presence of CeCl_3 and TiCl_4 in the Lewis acid mediated reduction of α -alkyl- β -keto esters by metal hydrides. a general methodology for the diastereoselective synthesis of *syn* and *anti*- α -alkyl- β -hydroxy esters. *J. Org. Chem.* **1999**, 64, 1986.
22. R. Dalpozzo; G. Bartoli; M.C. Bellucci; M. Bosco; L. Sambri; A. De Nino; A. Tagarelli: Allyl alcohols and organocerium reagents II: mechanism and extensibility of the reaction. *Eur. J. Org. Chem.* **2000**, 3, 99.
23. G. Bartoli; M. C. Bellucci; M. Bosco; L. Sambri; R. Dalpozzo; E. Marcantoni: The role of the α -stereogenic centre in the control of stereoselection in the reduction of α -alkyl- β -

- hydroxyketones: an highly diastereoselective protocol for the synthesis of 1,2-*syn*-2-alkyl-1,3-diols. *Chem. Eur. J.* **2000**, *6*, 2590.
24. R. Dalpozzo; G. Bartoli; A. De Nino; L. Sambri; E. Marcantoni: Organocerium reagents: a useful tool to alkylate carbonyls carrying strongly acidic hydrogen atoms. *Recent Res. Devel. Organic Chem.* **2001**, *5*, 181.
 25. G. Bartoli; M. Bosco; E. Marcantoni; M. Petrini; L. Sambri; E. Torregiani: Conjugate addition of amines to α,β -enones promoted by $\text{CeCl}_3 \cdot 7\text{H}_2\text{O}$ -NaI system supported on silica gel. *J. Org. Chem.* **2001**, *66*, 9052.
 26. G. Bartoli; M. Bosco; E. Marcantoni; M. Massaccesi; S. Rinaldi; L. Sambri: LiClO_4 -acyl anhydrides complexes as powerful acylating reagents of aromatic compounds in solvent free condition. *Tetrahedron Lett.* **2002**, *43*, 6331.
 27. G. Bartoli; M. Bosco; R. Dalpozzo; E. Marcantoni; M. Massaccesi; S. Rinaldi; L. Sambri: $\text{Mg}(\text{ClO}_4)_2$ as a powerful catalyst for the acylation of alcohols under solvent free conditions. *Synlett* **2003**, 39.
 28. G. Bartoli; E. Marcantoni; L. Sambri: The $\text{CeCl}_3 \cdot n\text{H}_2\text{O}$ -NaI system in organic synthesis: an efficient water tolerant Lewis acid promoter. *Synlett* **2003**, 2101.
 29. G. Bartoli; M. Bosco; E. Marcantoni; M. Massaccesi; L. Sambri: $\text{Zn}(\text{ClO}_4)_2 \cdot 6\text{H}_2\text{O}$ as a powerful catalyst for a practical acylation of alcohols with acid anhydrides. *Eur. J. Org. Chem.* **2003**, 4611.
 30. G. Bartoli; M. Bosco; M. Locatelli; E. Marcantoni; P. Melchiorre; L. Sambri: $\text{Zn}(\text{ClO}_4)_2 \cdot 6\text{H}_2\text{O}$ as a powerful catalyst for the conversion of β -ketoesters into β -enamino esters. *Synlett* **2004**, 239.
 31. G. Bartoli; M. Bosco; A. Carlone; M. Locatelli; M. Massaccesi; P. Melchiorre; L. Sambri: Asymmetric aminolysis of aromatic epoxides: a facile catalytic enantioselective synthesis of *anti*- β -amino alcohols. *Org. Lett.* **2004**, *6*, 2173.
 32. G. Bartoli; M. Bosco; A. Carlone; M. Locatelli; P. Melchiorre; L. Sambri: Asymmetric catalytic synthesis of enantiopure *N*-protected 1,2-amino alcohols. *Org. Lett.* **2004**, *6*, 3973.
 33. G. Bartoli; M. Bosco; M. Locatelli; E. Marcantoni; P. Melchiorre; L. Sambri: Unusual and unexpected reactivity of *t*-butyl dicarbonate (Boc_2O) with alcohols in the presence of magnesium perchlorate. A new and general route to *t*-butyl ethers. *Org. Lett.* **2005**, *7*, 427.
 34. R. Dalpozzo; G. Bartoli: Bartoli indole synthesis. *Curr. Org. Chem.* **2005**, *9*, 163.
 35. G. Bartoli; J. Boeglin; M. Bosco; M. Locatelli; M. Massaccesi; P. Melchiorre; L. Sambri: Highly efficient solvent-free condensation of carboxylic acids with alcohols catalysed by zinc perchlorate hexahydrate, $\text{Zn}(\text{ClO}_4)_2 \cdot 6\text{H}_2\text{O}$. *Adv. Synth. Catal.* **2005**, *347*, 33.