

Supplementary Material

Diastereoselective conjugate addition of (*R*)-4-phenyl-2-oxazolidinone to dialkyl alkylidenemalonates

Julien Capra,^a Bo Gao,^a H el ene Hemmery,^a Pierre Thu ery,^b and Thierry Le Gall^{a,*}

^aCEA, iBiTecS, Service de Chimie Bioorganique et de Marquage, B at. 547, 91191, Gif-sur-Yvette, France

^bCEA, IRAMIS, UMR 3299 CEA/CNRS, SIS2M, LCCEf, B at. 125, 91191 Gif-sur-Yvette, France


E-mail: thierry.legall@cea.fr

DOI: <http://dx.doi.org/10.3998/ark.5550190.p008.925>


Table of Contents

- | | |
|---|----|
| 1. Copies of ¹ H NMR and ¹³ C NMR spectra of compounds 3a-3e , 3g , 3h , 4 , 5 | S2 |
|---|----|


¹H NMR spectrum of compound **3a** (CDCl₃)



^{13}C NMR spectrum of compound **3a** (CDCl_3)




¹H NMR spectrum of compound **3b** (CDCl₃)




^{13}C NMR spectrum of compound **3b** (CDCl_3)

bg17c C13




¹H NMR spectrum of compound 3c (CDCl₃)




^{13}C NMR spectrum of compound **3c** (CDCl_3)

bg29b C13




¹H NMR spectrum of compound **3d** (CDCl₃)




^{13}C NMR spectrum of compound **3d** (CDCl_3)

bg35b c13




¹H NMR spectrum of compound **3e** (CDCl₃)




^{13}C NMR spectrum of compound **3e** (CDCl_3)


bg21C13




¹H NMR spectrum of compound **3g** (CDCl₃)




^{13}C NMR spectrum of compound **3g** (CDCl_3)




^1H NMR spectrum of compound **3h** (CDCl_3)




^{13}C NMR spectrum of compound **3h** (CDCl_3)


¹H NMR spectrum of compound **4** (CDCl₃)



^{13}C NMR spectrum of compound **4** (CDCl_3)

bg28c C13



^1H NMR spectrum of compound **5** (D_2O)

^{13}C NMR spectrum of compound **5** (D_2O)

bg37b

