

## Supplementary Material

### Aarhus Green: A tetrafluoro-substituted derivative of fluorescein

Jeppe Holmehave,<sup>‡</sup> Stephan K. Pedersen,<sup>‡</sup> Henrik H. Jensen, and Peter R. Ogilby\*

*Department of Chemistry, Aarhus University, Langelandsgade 140, Aarhus, DK-8000, Denmark*

*E-mail: [progilby@chem.au.dk](mailto:progilby@chem.au.dk)*


**Dedicated to Professor Michael Orfanopoulos on the occasion of his 67<sup>th</sup> birthday**

<sup>‡</sup> These authors contributed equally to this work.


#### Table of contents


1. <sup>1</sup> H-NMR of <b>4</b>	S2
2. <sup>19</sup> F-NMR of <b>4</b>	S2
3. <sup>13</sup> C-NMR of <b>4</b>	S3
4. <sup>1</sup> H-NMR of <b>5</b>	S4
5. <sup>19</sup> F-NMR of <b>5</b>	S4
6. <sup>13</sup> C-NMR of <b>5</b>	S5
7. <sup>1</sup> H-NMR of <b>Aarhus Green</b>	S6
8. <sup>19</sup> F-NMR of <b>Aarhus Green</b>	S7
9. <sup>13</sup> C-NMR of <b>Aarhus Green</b>	S7
10. <sup>1</sup> H-NMR of <b>5-CO<sub>2</sub>H-Aarhus Green</b>	S8
11. <sup>19</sup> F-NMR of <b>5-CO<sub>2</sub>H-Aarhus Green</b>	S8
12. <sup>13</sup> C-NMR of <b>5-CO<sub>2</sub>H-Aarhus Green</b>	S9

<sup>1</sup>H-NMR of  
4




<sup>19</sup>F-NMR of  
4





$^{13}\text{C-NMR}$  of  
**4**


<sup>1</sup>H-NMR of  
5




<sup>19</sup>F-NMR of  
5








$^1\text{H-NMR}$  of Aarhus Green

<sup>19</sup>F-NMR of Aarhus Green



<sup>13</sup>C-NMR of Aarhus Green







$^{13}\text{C}$ -NMR of 5-CO<sub>2</sub>H-Aarhus Green