

Supplementary Material

Aarhus Green: A tetrafluoro-substituted derivative of fluorescein

Jeppe Holmehave,[‡] Stephan K. Pedersen,[‡] Henrik H. Jensen, and Peter R. Ogilby*

Department of Chemistry, Aarhus University, Langelandsgade 140, Aarhus, DK-8000, Denmark

E-mail: progilby@chem.au.dk


Dedicated to Professor Michael Orfanopoulos on the occasion of his 67th birthday

[‡]These authors contributed equally to this work.


Table of contents


1. ¹ H-NMR of 4	S2
2. ¹⁹ F-NMR of 4	S2
3. ¹³ C-NMR of 4	S3
4. ¹ H-NMR of 5	S4
5. ¹⁹ F-NMR of 5	S4
6. ¹³ C-NMR of 5	S5
7. ¹ H-NMR of Aarhus Green	S6
8. ¹⁹ F-NMR of Aarhus Green	S7
9. ¹³ C-NMR of Aarhus Green	S7
10. ¹ H-NMR of 5-CO₂H-Aarhus Green	S8
11. ¹⁹ F-NMR of 5-CO₂H-Aarhus Green	S8
12. ¹³ C-NMR of 5-CO₂H-Aarhus Green	S9

¹H-NMR of
4




¹⁹F-NMR of
4





$^{13}\text{C-NMR}$ of
4


¹H-NMR of
5




¹⁹F-NMR of
5






$^1\text{H-NMR}$ of Aarhus Green


¹⁹F-NMR of Aarhus Green




¹³C-NMR of Aarhus Green



¹H-NMR of 5-CO₂H-Aarhus Green



¹⁹F-NMR of 5-CO₂H-Aarhus Green



^{13}C -NMR of 5-CO₂H-Aarhus Green