

## Supplementary Material

### A study towards the regioselective synthesis of the *e,e,e* trisadduct of C<sub>60</sub> via the [4+2] Diels-Alder reaction with tethers bearing *ortho*-quinodimethane precursors

Charalambos P. Ioannou and Nikos Chronakis\*



Department of Chemistry, University of Cyprus, University Str. 1, Building No. 13,  
2109 Aglantzia, Nicosia, Cyprus



E-mail: [nchronak@ucy.ac.cy](mailto:nchronak@ucy.ac.cy)



Dedicated to Professor Michael Orfanopoulos on the occasion of his 67<sup>th</sup> birthday

#### Table of Contents



<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of <b>10</b>	S2
High resolution MALDI-TOF mass spectrum of <b>10</b>	S3
MALDI-TOF spectrum of the reaction of <b>10</b> with C <sub>60</sub>	S4
HPLC elugram of the reaction of <b>10</b> with C <sub>60</sub>	S4
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of <b>16</b>	S5
High resolution MALDI-TOF mass spectrum of <b>16</b>	S6
MALDI-TOF spectrum of the reaction of <b>16</b> with C <sub>60</sub>	S7
HPLC elugram of the reaction of <b>16</b> with C <sub>60</sub>	S7
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of <b>21</b>	S8
High resolution MALDI-TOF mass spectrum of <b>21</b>	S9
MALDI-TOF spectrum of the reaction of <b>21</b> with C <sub>60</sub>	S10
HPLC elugram of the reaction of <b>21</b> with C <sub>60</sub>	S10



**$^1\text{H}$  NMR spectrum of 10 (500 MHz,  $\text{CDCl}_3$ , 25  $^\circ\text{C}$ )** **$^{13}\text{C}$  NMR spectrum of 10 (125 MHz,  $\text{CDCl}_3$ , 25  $^\circ\text{C}$ )**



**High resolution MALDI-TOF mass spectrum of 10 (positive mode, HCCA matrix)**

**MALDI-TOF spectrum of the reaction of 10 with C<sub>60</sub> (negative mode, HCCA matrix)****HPLC elugram of the reaction of 10 with C<sub>60</sub>**







**High resolution MALDI-TOF mass spectrum of 16 (positive mode, HCCA matrix)**

**MALDI-TOF spectrum of the reaction of 16 with C<sub>60</sub> (positive mode, HCCA matrix)****HPLC elugram of the reaction of 16 with C<sub>60</sub>**

**$^1\text{H}$  NMR spectrum of 21 (500 MHz,  $\text{CDCl}_3$ , 25 °C)** **$^{13}\text{C}$  NMR spectrum of 21 (125 MHz,  $\text{CDCl}_3$ , 25 °C)**



**High resolution MALDI-TOF mass spectrum of 21 (positive mode, HCCA matrix)**

**MALDI-TOF spectrum and HPLC of the reaction of 21 with C<sub>60</sub> (positive mode, HCCA matrix)****HPLC elugram of the reaction of 21 with C<sub>60</sub>**