

## Supplementary Material

### Synthesis of platencin core structures via twist-brendane



Faiz Ahmed Khan,<sup>\*a</sup> and Basavaraj M. Budanur<sup>b</sup>

<sup>a</sup>*Department of Chemistry, Indian Institute of Technology Hyderabad, Ordnance Factory estate, Yeddumailaram-502205, India*



<sup>b</sup>*Department of Chemistry, Indian Institute of Technology Kanpur, Kanpur-208016, India*  
E-mail: [faiz@iith.ac.in](mailto:faiz@iith.ac.in)

#### Table of contents



|  |     |
|--|-----|
| 1. Copies of <sup>1</sup> H NMR, <sup>13</sup> C NMR spectra   | S2  |
| 2. Crystal data and structure refinement of compound <b>5</b>  | S25 |
| 3. Crystal data and structure refinement of compound <b>11</b> | S26 |

**Copies of  $^1\text{H}$  NMR,  $^{13}\text{C}$  NMR spectra:** $^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **4** in  $\text{CDCl}_3$ :



$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **5** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **6** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **7a** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **7b** in  $\text{CDCl}_3$ :



$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **8** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **9a** in  $\text{CDCl}_3$ :









$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **9b** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **10** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **11** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **intermediate I** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **19** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **17** in  $\text{CDCl}_3$ :



$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **16** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **20** in  $\text{CDCl}_3$ :









$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **15** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **21** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **14** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **22** in  $\text{CDCl}_3$ :





$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **13** in  $\text{CDCl}_3$ :



2D NMR (HMBC) of **13** in CDCl<sub>3</sub>:

2D NMR (NOESY) of **13** in CDCl<sub>3</sub>:

$^1\text{H}$  NMR (400 MHz) and  $^{13}\text{C}$  NMR (100 MHz) of **12** in  $\text{CDCl}_3$ :





**Crystal data and structure refinement of compound 5.**

|   |  |
|---|--|
| Identification code                         | exp_2301   |
| Empirical formula                           | C <sub>14</sub> H <sub>14</sub> Cl <sub>2</sub> O <sub>4</sub> |
| Formula weight                              | 317.15   |
| Temperature/K                               | 566(2)   |
| Crystal system                              | monoclinic   |
| Space group                                 | P2 <sub>1</sub> /c   |
| a/Å   | 12.6163(3)   |
| b/Å   | 6.8536(2)  |
| c/Å   | 18.5114(5)   |
| α/°   | 90.00  |
| β/°   | 102.480(3)   |
| γ/°   | 90.00  |
| Volume/Å <sup>3</sup>                       | 1562.82(8)   |
| Z   | 4  |
| ρ <sub>calc</sub> /mg/mm <sup>3</sup>       | 1.348  |
| m/mm <sup>-1</sup>                          | 3.830  |
| F(000)                                      | 656.0  |
| Crystal size/mm <sup>3</sup>                | 0.23 × 0.21 × 0.20   |
| 2θ range for data collection                | 7.18 to 142.78°  |
| Index ranges                                | -15 ≤ h ≤ 13, -8 ≤ k ≤ 5, -21 ≤ l ≤ 22                         |
| Reflections collected                       | 7014   |
| Independent reflections                     | 2977[R(int) = 0.0280]  |
| Data/restraints/parameters                  | 2977/0/193   |
| Goodness-of-fit on F <sup>2</sup>           | 0.968  |
| Final R indexes [I ≥ 2σ (I)]                | R <sub>1</sub> = 0.0459, wR <sub>2</sub> = 0.1264              |
| Final R indexes [all data]                  | R <sub>1</sub> = 0.0573, wR <sub>2</sub> = 0.1460              |
| Largest diff. peak/hole / e Å <sup>-3</sup> | 0.18/-0.41   |
| CCDC No.                                    | 1406581  |

**Crystal data and structure refinement of compound 11.**

|   |   |
|---|---|
| Identification code                         | exp_4309  |
| Empirical formula                           | C <sub>14</sub> H <sub>18</sub> O <sub>3</sub>    |
| Formula weight                              | 234.28  |
| Temperature/K                               | 373(2)  |
| Crystal system                              | monoclinic  |
| Space group                                 | P2 <sub>1</sub> /c                                |
| a/Å   | 7.3271(3)   |
| b/Å   | 12.0579(8)  |
| c/Å   | 14.1446(8)  |
| α/°   | 90.00   |
| β/°   | 92.433(5)   |
| γ/°   | 90.00   |
| Volume/Å <sup>3</sup>                       | 1248.54(12)                                       |
| Z   | 4   |
| ρ <sub>calc</sub> /mg/mm <sup>3</sup>       | 1.246   |
| m/mm <sup>-1</sup>                          | 0.086   |
| F(000)                                      | 504.0   |
| Crystal size/mm <sup>3</sup>                | 0.23 × 0.21 × 0.20                                |
| 2θ range for data collection                | 6.52 to 58°                                       |
| Index ranges                                | -9 ≤ h ≤ 9, -15 ≤ k ≤ 15, -17 ≤ l ≤ 17            |
| Reflections collected                       | 7899  |
| Independent reflections                     | 2929[R(int) = 0.0264]                             |
| Data/restraints/parameters                  | 2929/0/166  |
| Goodness-of-fit on F <sup>2</sup>           | 1.068   |
| Final R indexes [I >= 2σ(I)]                | R <sub>1</sub> = 0.0637, wR <sub>2</sub> = 0.1644 |
| Final R indexes [all data]                  | R <sub>1</sub> = 0.1025, wR <sub>2</sub> = 0.1875 |
| Largest diff. peak/hole / e Å <sup>-3</sup> | 0.14/-0.16  |
| CCDC No.                                    | 1406582   |