

Supplementary Material

Diacetoxiodobenzene (DIB) mediated oxidative dethiation of *N*-substituted-5-arylidene rhodanines: An efficient synthesis of *N*-substituted-5-arylidene-thiazolidine-2,4-diones

Sarangthem Joychandra Singh,^a Nepram Sushuma Devi^b

^a*Department of Chemistry, Indian Institute of Technology Guwahati, Guwahati 781 039, India*


^b*Department of Chemistry, Manipur University, Canchipur-795003, Manipur, India*


E-mail: joysarang@iitg.ernet.in


Table of Contents


1. Spectra of <i>N</i> -substituted-5-arylidene rhodanines	S2
2. Spectra of <i>N</i> -substituted-5-arylidene-thiazolidine-2,4-diones	S18


SPECTRA


(Z)-3-Benzylidene-2-thioxothiazolidin-4-one (1a): ^1H NMR (400 MHz, CDCl_3)


(Z)-3-benzylidene-2-thioxothiazolidin-4-one (1a): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-5-benzylidene-3-methyl-2-thioxothiazolidin-4-one (1b): ^1H NMR (400 MHz, CDCl_3)


(Z)-5-benzylidene-3-methyl-2-thioxothiazolidin-4-one (1b): ^{13}C NMR (100 MHz, CDCl_3)


(Z)-3-allyl-5-benzylidene-2-thioxothiazolidin-4-one (1c): ^1H NMR (600 MHz, CDCl_3)


(Z)-3-allyl-5-benzylidene-2-thioxothiazolidin-4-one (1c): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-3-benzyl-5-(4-methylbenzylidene)-2-thioxothiazolidin-4-one (1d): ^1H NMR (600 MHz, CDCl_3)


(Z)-3-benzyl-5-(4-methylbenzylidene)-2-thioxothiazolidin-4-one (1d): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-3-benzyl-5-(4-methoxybenzylidene)-2-thioxothiazolidin-4-one (1e): ^1H NMR (400 MHz, CDCl_3)


(Z)-3-benzyl-5-(4-methoxybenzylidene)-2-thioxothiazolidin-4-one (1e): ^{13}C NMR (100 MHz, CDCl_3)


(Z)-3-benzyl-5-(4-chlorobenzylidene)-2-thioxothiazolidin-4-one (1f): ^1H NMR (400 MHz, CDCl_3)


(Z)-3-benzyl-5-(4-chlorobenzylidene)-2-thioxothiazolidin-4-one (1f): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-3-methyl-5-(4-methylbenzylidene)-2-thioxothiazolidin-4-one (1g): ^1H NMR (400 MHz, CDCl_3)


(Z)-3-methyl-5-(4-methylbenzylidene)-2-thioxothiazolidin-4-one (1g): ^{13}C NMR (100 MHz, CDCl_3)


(Z)-3-methyl-5-(4-methoxybenzylidene)-2-thioxothiazolidin-4-one (1h): ^1H NMR (600 MHz, CDCl_3)


(Z)-3-methyl-5-(4-methoxybenzylidene)-2-thioxothiazolidin-4-one (1h): ^{13}C NMR (600 MHz, CDCl_3)


(Z)-5-(2-fluorobenzylidene)-3-methyl-2-thioxothiazolidin-4-one (1i): ^1H NMR (600 MHz, CDCl_3)


(Z)-5-(2-fluorobenzylidene)-3-methyl-2-thioxothiazolidin-4-one (1i): ^{13}C NMR (100 MHz, CDCl_3)


(Z)-5-(2-bromobenzylidene)-3-methyl-2-thioxothiazolidin-4-one (1j): ^1H NMR (400 MHz, CDCl_3)


(Z)-5-(2-bromobenzylidene)-3-methyl-2-thioxothiazolidin-4-one (1j): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-5-(furan-2-ylmethylene)-3-methyl-2-thioxothiazolidin-4-one (1k): ^1H NMR (400 MHz, CDCl_3)


(Z)-5-(furan-2-ylmethylene)-3-methyl-2-thioxothiazolidin-4-one (1k): ^{13}C NMR (100 MHz, CDCl_3)


(Z)-3-benzyl-5-benzylidenethiazolidine-2,4-dione (2a): ^1H NMR (400 MHz, CDCl_3)


(Z)-3-benzyl-5-benzylidenethiazolidine-2,4-dione (2a): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-3-methyl-5-benzylidenethiazolidine-2,4-dione (2b): ^1H NMR (400 MHz, CDCl_3)


(Z)-3-methyl-5-benzylidenethiazolidine-2,4-dione (2b): ^{13}C NMR (100 MHz, CDCl_3)


(Z)-3-allyl-5-benzylidenethiazolidine-2,4-dione (2c): ^1H NMR (600 MHz, CDCl_3)


(Z)-3-allyl-5-benzylidenethiazolidine-2,4-dione (2c): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-3-menzyl-5-(4-methylbenzylidene)thiazolidine-2,4-dione (2d): ^1H NMR (400 MHz, CDCl_3)


(Z)-3-menzyl-5-(4-methylbenzylidene)thiazolidine-2,4-dione (2d): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-3-menzyl-5-(4-methoxybenzylidene)thiazolidine-2,4-dione (2e): ^1H NMR (600 MHz, CDCl_3)


(Z)-3-menzyl-5-(4-methoxybenzylidene)thiazolidine-2,4-dione (2e): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-3-menzyl-5-(4-chlorobenzylidene)thiazolidine-2,4-dione (2f): ^1H NMR (400 MHz, CDCl_3)


(Z)-3-benzyl-5-(4-chlorobenzylidene)thiazolidine-2,4-dione (2f): ^{13}C NMR (100 MHz, CDCl_3)


(Z)-3-methyl-5-(4-methylbenzylidene)thiazolidine-2,4-dione (2g): ^1H NMR (600 MHz, CDCl_3)


(Z)-3-methyl-5-(4-methylbenzylidene)thiazolidine-2,4-dione (2g): ^{13}C NMR (150 MHz, CDCl_3)


(Z)-3-methyl-5-(4-methoxybenzylidene)thiazolidine-2,4-dione (2h): ^1H NMR (600 MHz, CDCl_3)


(Z)-3-methyl-5-(4-methoxybenzylidene)thiazolidine-2,4-dione (2h): ^{13}C NMR (150 MHz, CDCl_3)

(Z)-5-(2-fluorobenzylidene)-3-methylthiazolidine-2,4-dione (2i): ^1H NMR (600 MHz, CDCl_3)

(Z)-5-(2-fluorobenzylidene)-3-methylthiazolidine-2,4-dione (2i): ^{13}C NMR (150 MHz, CDCl_3)

(Z)-5-(2-Bromobenzylidene)-3-methylthiazolidine-2,4-dione (2j): ^1H NMR (600 MHz, CDCl_3)

(Z)-5-(2-bromobenzylidene)-3-methylthiazolidine-2,4-dione (2j): ^{13}C NMR (150 MHz, CDCl_3)

(Z)-5-(furan-2-ylmethylene)-3-methylthiazolidine-2,4-dione (2k): ^1H NMR (600 MHz, CDCl_3)

(Z)-5-(furan-2-ylmethylene)-3-methylthiazolidine-2,4-dione (2k): ^{13}C NMR (150 MHz, CDCl_3)