

## Supplementary Material

### Microwave-assisted synthesis of new imide- and formamide-derivatives of 2(3H)-benzoxazolinones and 2(3H)-benzothiazolinones

Khemissi Seddiki,<sup>\*a,b,c</sup> Wassila Yahia,<sup>b</sup> Messaoud Liacha,<sup>b</sup> Andrea Defant,<sup>c</sup> Denise Sighel,<sup>c,d</sup> and Ines Mancini<sup>\*c</sup>

<sup>a</sup>Laboratoire de Synthèse et Biocatalyse Organique, Faculté des Sciences, Université Badji Mokhtar de Annaba B.P. 12, 23000 Annaba, Algérie

<sup>b</sup>Ecole Préparatoire Aux Sciences Et Techniques, Citésaf-saf BP-218, 23000, Annaba-Algerie


<sup>c</sup>Laboratorio di Chimica Bioorganica, Dipartimento di Fisica, Università di Trento, via Sommarive 14, 38123 Povo-Trento, Italy

<sup>d</sup>Centro di Biologia Integrata (CIBIO) Università di Trento, Trento, via Sommarive 9, 38123 Povo-Trento, Italy


E-mail: [khemissi\\_seddiki@yahoo.fr](mailto:khemissi_seddiki@yahoo.fr)

#### Tables of Contents


<b>Figure S1.</b> <sup>1</sup> H NMR spectrum of formamide derivative <b>8</b> (400 MHz, CDCl <sub>3</sub> )	S2
<b>Figure S2.</b> <sup>1</sup> H NMR spectrum of formamide derivative <b>8</b> (400 MHz, CD <sub>3</sub> OD)	S3
<b>Figure S3.</b> <sup>1</sup> H NMR spectrum of formamide derivative <b>9</b> (400 MHz, CDCl <sub>3</sub> )	S4
<b>Figure S4.</b> <sup>1</sup> H NMR spectrum of formamide derivative <b>10</b> (400 MHz, CD <sub>3</sub> OD)	S5
<b>Figure S5.</b> <sup>1</sup> H NMR spectrum of formamide derivative <b>11</b> (400 MHz, CD <sub>3</sub> OD)	S6
<b>Figure S6.</b> <sup>1</sup> H NMR spectrum of formamide derivative <b>11</b> (400 MHz, DMSO- <i>d</i> <sub>6</sub> )	S7




**Figure S1.** <sup>1</sup>H NMR spectrum of formamide derivative **8** (400 MHz, CDCl<sub>3</sub>).





**Figure S2.**  $^1\text{H}$  NMR spectrum of formamide derivative **8** (400 MHz,  $\text{CD}_3\text{OD}$ ).





**Figure S3.** <sup>1</sup>H NMR spectrum of formamide derivative **9** (400 MHz, CDCl<sub>3</sub>).



**Figure S4.** <sup>1</sup>H NMR spectrum of formamide derivative **10** (400 MHz, CD<sub>3</sub>OD).



**Figure S5.** <sup>1</sup>H NMR spectrum of formamide derivative **11** (400 MHz, CD<sub>3</sub>OD).



**Figure S6.** <sup>1</sup>H NMR spectrum of formamide derivative **11** (400 MHz, DMSO-*d*<sub>6</sub>).