


Supplementary Material



A new synthesis of pleraplysillin-1, a sponge metabolite, using Wittig olefination



Moumita Rakshit,^a Gandhi K. Kar,^{a*} and Manas Chakrabarty^b^a Department of Chemistry, Presidency University, 86/1 College Street, Kolkata 700073, India^b Formerly, Department of Chemistry, Bose Institute, 92 A.P.C. Road, Kolkata 700009, IndiaEmail: gandhi.chem@presiuniv.ac.in


Table of Contents



¹ H NMR Spectrum (500 MHz, CDCl ₃) of 5c	S1
¹³ C NMR Spectrum (125 MHz, CDCl ₃) of 5c	S2
¹ H NMR Spectrum (400 MHz, CDCl ₃) of 4	S2
¹³ C NMR Spectrum (100 MHz, CDCl ₃) of 4	S3
¹ H NMR Spectrum (400 MHz, CDCl ₃) of (3 + Z-Isomer).....	S3
¹³ C NMR Spectrum (100 MHz, CDCl ₃) of (3 + Z-Isomer).....	S4
¹ H NMR Spectrum (500 MHz, CDCl ₃) of 1 + Z-isomer	S5
¹³ C NMR Spectrum (125 MHz, CDCl ₃) of 1 + Z-isomer	S6

¹H NMR Spectrum (500 MHz, CDCl₃) of **5c**

^{13}C NMR Spectrum (125 MHz, CDCl_3) of **5c** ^1H NMR Spectrum (400 MHz, CDCl_3) of **4**

^{13}C NMR Spectrum (100 MHz, CDCl_3) of **4** ^1H NMR Spectrum (400 MHz, CDCl_3) of (**3** + Z-Isomer)

^{13}C NMR Spectrum (100 MHz, CDCl_3) of (**3** + Z-Isomer)

^1H NMR Spectrum (500 MHz, CDCl_3) of **1** + Z-isomer

^{13}C NMR Spectrum (125 MHz, CDCl_3) of **1** + Z-isomer