

## Supplementary Material

### Ultrasound-assisted synthesis of imidazo[1,2-*a*]pyridines and sequential one-pot preparation of 3-selanyl-imidazo[1,2-*a*]pyridine derivatives

Beatriz M. Vieira,<sup>a</sup> Nathalia Padilha,<sup>a</sup> Nelson M. Nascimento,<sup>a</sup> Gelson Perin,<sup>a</sup> Diego Alves,<sup>a</sup>  
Ricardo F. Schumacher,<sup>\*a,b</sup> and Eder J. Lenardão<sup>\*a</sup>

<sup>a</sup> LASOL - CCQFA, Universidade Federal de Pelotas, UFPel-P.O. Box 354,96010-900, Pelotas, RS, Brazil


<sup>b</sup> Departamento de Química, Universidade Federal de Santa Maria, UFSM, 97105-900, Santa Maria, RS, Brazil

E-mail: [lenardao@ufpel.edu.br](mailto:lenardao@ufpel.edu.br), [ricardo.schumacher@ufsm.br](mailto:ricardo.schumacher@ufsm.br)


#### Table of Contents

<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compounds <b>3</b> and <b>5</b> .....	S2
---------------------------------------------------------------------------------------------	----


## SELECTED SPECTRA




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-phenylimidazo[1,2-a]pyridine (3a).**




**<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-phenylimidazo[1,2-a]pyridine (3a).**




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>/DMSO-*d*<sub>6</sub>) spectrum of 2-(4-chlorophenyl)imidazo[1,2-*a*]pyridine (**3b**).**




**<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>/DMSO-*d*<sub>6</sub>) spectrum of 2-(4-chlorophenyl)imidazo[1,2-*a*]pyridine (**3b**).**




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-fluorophenyl)imidazo[1,2-a]pyridine (3c).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-fluorophenyl)imidazo[1,2-a]pyridine (3c).




$^1\text{H NMR}$  (400 MHz,  $\text{CDCl}_3$ ) spectrum of 2-(2-chlorophenyl)imidazo[1,2-*a*]pyridine (**3d**).




$^{13}\text{C NMR}$  (100 MHz,  $\text{CDCl}_3$ ) spectrum of 2-(2-chlorophenyl)imidazo[1,2-*a*]pyridine (**3d**).




**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>/DMSO-*d*<sub>6</sub>) spectrum of 2-(4-nitrophenyl)imidazo[1,2-*a*]pyridine (**3e**).**




**<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>/DMSO-*d*<sub>6</sub>) spectrum of 2-(4-nitrophenyl)imidazo[1,2-*a*]pyridine (**3e**).**




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-(*p*-tolyl)imidazo[1,2-*a*]pyridine (**3f**).



<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-(*p*-tolyl)imidazo[1,2-*a*]pyridine (**3f**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-methoxyphenyl)imidazo[1,2-a]pyridine (**3g**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-methoxyphenyl)imidazo[1,2-a]pyridine (**3g**).







<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-(2-methoxyphenyl)imidazo[1,2-a]pyridine (**3h**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-(2-methoxyphenyl)imidazo[1,2-a]pyridine (**3h**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-phenyl-3-(phenylselanyl)imidazo[1,2-a]pyridine (5a).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-phenyl-3-(phenylselanyl)imidazo[1,2-a]pyridine (5a).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 3-[(4-chlorophenyl)selanyl]-2-phenylimidazo[1,2-a]pyridine (**5b**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 3-[(4-chlorophenyl)selanyl]-2-phenylimidazo[1,2-a]pyridine (**5b**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 3-[(4-fluorophenyl)selenanyl]-2-phenylimidazo[1,2-a]pyridine (**5c**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 3-[(4-fluorophenyl)selenanyl]-2-phenylimidazo[1,2-a]pyridine (**5c**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-phenyl-3-[[3-(trifluoromethyl)phenyl]selanyl]imidazo[1,2-a]pyridine (**5d**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-phenyl-3-[[3-(trifluoromethyl)phenyl]selanyl]imidazo[1,2-a]pyridine (**5d**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 3-[(4-methoxyphenyl)selanyl]-2-phenylimidazo[1,2-a]pyridine (**5e**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 3-[(4-methoxyphenyl)selanyl]-2-phenylimidazo[1,2-a]pyridine (**5e**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-phenyl-3-(*p*-tolylselanyl)imidazo[1,2-*a*]pyridine (**5f**).



<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-phenyl-3-(*p*-tolylselanyl)imidazo[1,2-*a*]pyridine (**5f**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 3-(mesitylselanyl)-2-phenylimidazo[1,2-a]pyridine (**5g**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 3-(mesitylselanyl)-2-phenylimidazo[1,2-a]pyridine (**5g**).







**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 3-(butylselanyl)-2-phenylimidazo[1,2-a]pyridine (**5h**).**




**<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 3-(butylselanyl)-2-phenylimidazo[1,2-a]pyridine (**5h**).**




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-chlorophenyl)-3-(phenylselanyl)imidazo[1,2-a]pyridine (**5i**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-chlorophenyl)-3-(phenylselanyl)imidazo[1,2-a]pyridine (**5i**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-fluorophenyl)-3-(phenylselanyl)imidazo[1,2-a]pyridine (**5j**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-fluorophenyl)-3-(phenylselanyl)imidazo[1,2-a]pyridine (**5j**).




$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) spectrum of 2-(4-nitrophenyl)-3-(phenylselanyl)imidazo[1,2-*a*]pyridine (**5I**).




$^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) spectrum of 2-(4-nitrophenyl)-3-(phenylselanyl)imidazo[1,2-*a*]pyridine (**5I**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 3-(phenylselanyl)-2-(*p*-tolyl)imidazo[1,2-*a*]pyridine (**5m**).




<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 3-(phenylselanyl)-2-(*p*-tolyl)imidazo[1,2-*a*]pyridine (**5m**).




<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-methoxyphenyl)-3-(phenylselanyl)imidazo[1,2-a]pyridine (5n).



<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-(4-methoxyphenyl)-3-(phenylselanyl)imidazo[1,2-a]pyridine (5n).



**<sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) spectrum of 2-phenyl-3-(phenylthio)imidazo[1,2-*a*]pyridine (**5p**).**



**<sup>13</sup>C NMR (100 MHz, CDCl<sub>3</sub>) spectrum of 2-phenyl-3-(phenylthio)imidazo[1,2-*a*]pyridine (**5p**).**