

Supplementary Material



Fluorine substituted non symmetric phenazines: a new synthetic protocol from polyfluorinated azobenzenes


Luca Vaghi*, Mattia Coletta, Paolo Coghi, Ivan Andreosso, Luca Beverina, Riccardo Ruffo and Antonio Papagni



Department of Materials Science, University of Milano-Bicocca, via R. Cozzi 55, 20125 Milano, Italy
Email: luca.vaghi@unimib.it

Table of Contents



1. CV traces and DPVs of compound 5aa and 5ab	S2
2. CV trace and DPV of compound 5ac	S3
3. ^1H , ^{13}C , ^{19}F NMR spectra of compound 5aa	S4
4. ^1H , ^{13}C , ^{19}F NMR spectra of compound 5ab	S6
5. ^1H , ^{13}C , ^{19}F NMR spectra of compound 5aC	S8
6. ^1H , ^{13}C , ^{19}F NMR spectra of compound 5ba	S10
7. ^1H , ^{13}C , ^{19}F NMR spectra of compound 5bb	S12
8. ^1H , ^{13}C , ^{19}F NMR spectra of compound 5bc	S14













151.62
151.66
151.71
152.22
152.26
152.31
153.29
153.33
153.38
154.02
154.11









151.02
151.04
151.05
151.07
151.79
151.81
151.83






















123.46
123.51
123.36
123.40

153.93
153.97
153.98
154.02

