

Supplementary Material

Synthesis, characterization, antimicrobial activities and electrochemical behavior of new phenolic azo dyes from two thienocoumarin amines

Kamal S. D. Djeukoua,^a Emmanuel S. Fondjo,^{*a} Jean-de-Dieu Tamokou,^b Joseph Tsemeugne,^{a,f} Peter F. W. Simon,^c Appolinaire Tsopmo,^d Francis M. M. Tchieno,^e Steve E. Ekom,^b Chancellin N. Pecheu,^e Ignas K. Tonle,^e and Jules-Roger Kuate^b

^aLaboratory of Applied Synthetic Organic Chemistry, Department of Chemistry, Faculty of Science, University of Dschang, P.O. Box 67 Dschang, Republic of Cameroon; ^bLaboratory of Microbiology and Antimicrobial Substances, Department of Biochemistry, Faculty of Science, University of Dschang, PO Box 067 Dschang, Republic of Cameroon; ^cPolymer Chemistry Laboratory, Faculty of Live Sciences, Rhine-Waal University of Applied Sciences, Campus Kleve, Marie-Curie Strasse 1, D-47533 Kleve, Germany; ^dDepartment of Chemistry, Carlton University, Room 207D, Steacie Building 1125 Colonel By Drive K1S 5B6, Ontario, Canada +1-613-520-260 Ext 3122; ^e Laboratory of Electrochemistry and Chemistry of Materials, Department of Chemistry, University of Dschang, P.O. Box 67 Dschang, Cameroon; ^fDepartment of Organic Chemistry, University of Yaounde I, P.O. Box 812, Yaounde, Republic of Cameroon.

E-mail: sopbue@yahoo.fr

Table of Contents

UV spectrum of compound 5a in ethanol as solvent	S3
IR spectrum of compound 5a	S4
¹ H-NMR (DMSO-d ₆ , 300 MHz) spectrum of compound 5a	S4
DEPT-135 ¹³ C(H)-NMR (DMSO-d ₆ , 75 MHz) spectrum of compound 5a	S5
¹³ C(H)-NMR ¹ H (DMSO-d ₆ , 400 MHz) of compound 5a	S5
HRMS ESI-Positive mode of compound 5a	S6
¹ H-NMR (DMSO-d ₆ , 400 MHz) spectrum of compound 5a	S6
¹³ C(¹ H) NMR (DMSO-d ₆ /CDCl ₃ , 100 MHz) Spectrum of 5a	S7
HSQC (DMSO-d ₆ /CDCl ₃ , 100 MHz) spectrum of 5a	S8
HMBC (DMSO-d ₆ /CDCl ₃ , 100 MHz) spectrum of 5a	S8
UV spectrum of compound 5b in ethanol as solvent	S9
IR spectrum of compound 5b	S9
¹ H-NMR (DMSO-d ₆ , 300 MHz) spectrum of compound 5b	S10
Enlarged ¹ H-NMR (DMSO-d ₆ , 300 MHz) spectrum of compound 5b	S10
HRMS ESI-Positive mode of compound 5b	S11
¹ H-NMR (DMSO-d ₆ /CDCl ₃ , 400 MHz) spectrum of 5b	S11
¹³ C(¹ H) NMR (DMSO-d ₆ /CDCl ₃ , 100 MHz) Spectrum of 5b	S12

HSQC (DMSO-d ₆ /CDCl ₃ , 100 MHz) spectrum of 5b	S12
HMBC (DMSO-d ₆ /CDCl ₃ , 100 MHz) spectrum of 5b	S13
UV spectrum of compound 5c in ethanol as solvent.....	S13
IR spectrum of compound 5c	S14
¹ H-NMR (DMSO-d ₆ , 300 MHz) spectrum of compound 5c	S14
Enlarged ¹ H-NMR (DMSO-d ₆ , 300 MHz) spectrum of compound 5c	S15
¹³ C(¹ H)-NMR (DMSO-d ₆ , 75 MHz) of compound 6	S15
HRMS ESI-Positive mode of compound 5c	S16
UV spectrum of compound 6 in ethanol as solvent	S16
IR spectrum of compound 6	S17
HRMS ESI-Positive mode of compound 6	S17
¹ H-NMR (DMSO-d ₆ /CDCl ₃ , 400 MHz) spectrum of 6	S18
¹³ C(¹ H) NMR (DMSO-d ₆ /CDCl ₃ , 100 MHz) Spectrum of 6	S18
HSQC (DMSO-d ₆ /CDCl ₃ , 100 MHz) spectrum of 6	S19
HMBC (DMSO-d ₆ /CDCl ₃ , 100 MHz) spectrum of 6	S19
Cyclic voltammograms of 943 μM 5a in 0.05 M H ₂ SO ₄ at various scan rates: 30, 60, 90, 120, 150, 240, 270 and 300 mV/s.....	S20
Cyclic voltammograms of 1120 μM 5b in 0.05 M H ₂ SO ₄ at various scan rates: 30, 60, 90, 120, 150, 180, 270 and 300 mV/s.....	S20
Cyclic voltammograms of 268 μM 5c in 0.05 M H ₂ SO ₄ at various scan rates: 30, 60, 90, 120, 150, 180 and 210 mV/s.....	S21
Cyclic voltammograms of 289 μM 6 in 0.05 M H ₂ SO ₄ at various scan rates: 30, 60, 90, 120, 150, and 180 mV/s	S21
Important HMBC interactions and ¹ H and ¹³ C chemical shifts δ in compounds 5a , 5b and 6 in CDCl ₃ /DMSO-d ₆ as solvent	S21






Figure 1. UV spectrum of compound 5a in ethanol as solvent.



Seite 1 von 1

Figure 2. IR spectrum of compound 5a.

Figure 3. ¹H-NMR (DMSO-d₆, 300 MHz) spectrum of compound 5a.




Figure 4. DEPT-135 $^{13}\text{C}(\text{H})$ -NMR (DMSO- d_6 , 75 MHz) spectrum of compound 5a.




Figure 5. $^{13}\text{C}(\text{H})$ -NMR ^1H (DMSO- d_6 , 75 MHz) of compound 5a.




Figure 6. HRMS ESI-Positive mode of compound 5a.




Figure 7. $^1\text{H-NMR}$ (DMSO- d_6 /CDCl $_3$, 400 MHz), spectrum of 5a.





Figure 8. $^{13}\text{C}(^1\text{H})$ NMR ($\text{DMSO-d}_6/\text{CDCl}_3$, 100 MHz) Spectra of 5a.




Figure 9. HSQC (DMSO-*d*₆/CDCl₃, 100 MHz) spectrum of 5a.




Figure 10. HMBC (DMSO-*d*₆/CDCl₃, 100 MHz) spectrum of 5a.




Figure 11. UV spectrum of compound 5b in ethanol as solvent.




Figure 12. IR spectrum of compound 5b.




Figure 13. $^1\text{H-NMR}$ (DMSO- d_6 , 300 MHz) spectrum of compound **5b**.




Figure 14. Enlarged $^1\text{H-NMR}$ (DMSO- d_6 , 300 MHz) spectrum of compound **5b**.




Figure 15. HRMS ESI-Positive mode of compound **5b**.




Figure 16. $^1\text{H-NMR}$ ($\text{DMSO-d}_6/\text{CDCl}_3$, 400 MHz) spectrum of **5b**.




Figure 17. ^{13}C (^1H) NMR (DMSO- d_6 /CDCl $_3$, 100 MHz) Spectra of 5b.




Figure 18. HSQC (DMSO- d_6 /CDCl $_3$, 100 MHz) spectrum of 5b.




Figure 19. HMBC (DMSO-d₆/CDCl₃, 100 MHz) spectrum of **5b**.






Figure 20. UV spectrum of compound **5c** in ethanol as solvent.



Seite 1 von 1

Figure 21. IR spectrum of compound 5c.

Figure 22. ¹H-NMR (DMSO-d₆, 500 MHz) spectrum of compound 5c.




Figure 23. Enlarged ^1H -NMR (DMSO- d_6 , 500 MHz) spectrum of compound 5c.




Figure 24. $^{13}\text{C}(^1\text{H})$ -NMR (DMSO- d_6 , 75 MHz) of compound 5c.




Figure 25. HRMS ESI-Positive mode of compound 5c.




Figure 26. UV spectrum of compound 6 in ethanol as solvent.




Figure 27. IR spectrum of compound 6.




Figure 28. HRMS ESI-Positive mode of compound 6.




Figure 29. $^1\text{H-NMR}$ (DMSO- d_6 /CDCl $_3$, 400 MHz) spectrum of **6**.




Figure 30. $^{13}\text{C}(^1\text{H})$ NMR (DMSO- d_6 /CDCl $_3$, 100 MHz) Spectrum of **6**.




Figure 31. HSQC (DMSO-*d*₆/CDCl₃, 100 MHz) spectrum of **6**.




Figure 32. HMBC (DMSO-*d*₆/CDCl₃, 100 MHz) spectrum of **6**.




Figure 33. Cyclic voltammograms of 943 μM **5a** in 0.05 M H₂SO₄ at various scan rates: 30, 60, 90, 120, 150, 240, 270 and 300 mV/s.




Figure 34. Cyclic voltammograms of 1120 μM **5b** in 0.05 M H₂SO₄ at various scan rates: 30, 60, 90, 120, 150, 180, 270 and 300 mV/s.




Figure 35. Cyclic voltammograms of 268 μM **5c** in 0.05 M H_2SO_4 at various scan rates: 30, 60, 90, 120, 150, 180 and 210 mV/s.





Figure 36. Cyclic voltammograms of 289 μM **6** in 0.05 M H_2SO_4 at various scan rates: 30, 60, 90, 120, 150, and 180 mV/s.

Table 1. Important HMBC interactions and ^1H and ^{13}C chemical shifts δ in compounds **5a**, **5b** and **6** in $\text{CDCl}_3/\text{DMSO}-d_6$ as solvent.



5a			5b			6		
N°C	δ_c	HMBC (H \rightarrow C)	N°C	δ_c	HMBC(H \rightarrow C)	N°C	δ_c	HMBC(H \rightarrow C)
1'/1''	125.6	H-9' (8.80)	1'/1''	125.6	/	1'	119.7	
3'/3''	156.9	/	3'/3''	155.4	/	3'	154.4	
3a'/3a''	148.7	/	3a'/3a''	148.6	/	3a'	148.9	/
4'/4''	162.8	H-1' (7.70); H-6' (7.35)	4'/4''	162.9	H-1' (7.74)	4'	157.3	H-6' (7.49)
5a'/5a''	155.4	H-9' (8.80); H-7' (7.69); H-6' (7.35)	5a'/5a''	155.1	H-9' (8.82); H-7' (7.71); H-6' (7.39)	5a'	155.5	H-9' (8.82);
6'/6''	117.7	H-7' (7.69); H-8' (7.39)	6'/6''	117.7	H-7' (7.71); H-8' (7.45)	6'	117.4	H-8' (7.39)
7'/7''	135.4	H-9' (8.80); H-8' (7.39)	7'/7''	135.4	H-9' (8.82); H-8' (7.45);	7'	135.6	H-9' (8.82)
8'/8''	126.1	7.69 (H-7'); H-8' (7.39)	8'/8''	126.1	H-7' (7.71); H-6' (7.39)	8'	125.4	H-6' (7.49); H-8' (7.39)
9'/9''	129.9	H-1' (7.70); H-7' (7.69); H-8' (7.39)	9'/9''	129.9	H-7' (7.71)	9'	129.9	H-7' (7.73)
9a'/9a''	118.2	7.39 (H-8'); H-6' (7.35)	9a'/9a''	118.2	H-8' (7.45); H-6' (7.39)	9a'	115.8	H-8' (7.39);
9b'/9b''	153.6	H-9' (8.80); 7.70 (H-1')	9b'/9b''	153.3	H-9' (8.82); H-1' (7.74);	9b'	155.1	H-1' (7.40)
1	113.5	H-6 (7.37)	1	154.5	H-6 (7.37)	1	135.8	H-6 (7.88)
2	154.4	H-4 (7.72); H-6 (7.37)	2	113.5	H-6 (7.37)	2	154.2	
3	102.4	/	3	102.3	/	3	112.4	H-5 (6.96); H-4 (6.89)
4	117.4	H-6 (7.37)	4	157.5	H-5 (7.73)	4	119.2	H-5 (6.96);
5	119.5	H-6 (7.37); H-4 (7.72)	5	117.4	H-6 (7.37)	5	117.3	H-4 (6.89);
6	135.5	7.72 (H-4)	6	135.6	H-5 (7.73)	6	130.7	
COOH	185.1	/	C=O		H(CH ₃)(2.80)	COOH	184.1	
			CH ₃	18.4	/	C=O	161.8	H-6(7.88)
						CH ₃	18.2	