

Supplementary Material

Prospective evaluation and success of a machine learning hit-to-lead drug development program against phosphatidylinositol 3-kinase α

Thomas M. Kaiser,^a Zackery W. Dentmon,^b Pieter B. Burger,^c Qi Shi,^b James P. Snyder,^b Yuhong Du,^d Haian Fu,^d and Dennis C. Liotta^{*b}

^aSt. Peter's College, University of Oxford, Oxford, U.K. OX1 2DL; ^cDepartment of Drug Discovery & Biomedical Sciences, College of Pharmacy, Medical College of South Carolina, 70 President St., Charleston, SC 29425 USA; ^bDepartments of Chemistry and ^dPharmacology & Chemical Biology, Emory University, 1521 Dickey Dr., Atlanta, GA 30322, USA

Email: dliotta@emory.edu

Table of Contents

¹H and ¹³C NMR Spectra

¹ H and ¹³ C NMR of 6a – 6e	S2
¹ H and ¹³ C NMR of 11	S12
¹ H NMR of 7	S14
¹ H and ¹³ C NMR of 10a – 10c	S15
¹ H NMR of 9	S21
¹ H and ¹³ C NMR of 8a – 8c	S22
¹ H and ¹³ C NMR of 18	S28
¹ H and ¹³ C NMR of 8d – 8e	S30































































