

## Supplementary Material

### Synthesis of 8-aminoquinoline chelating moieties for chemosensor molecules

Attila Csomos,<sup>a,b</sup> Orsolya Pantl,<sup>a</sup> Petra Dunkel,<sup>c</sup> Dóra Bogdán,<sup>c</sup> Arnold Steckel,<sup>d</sup> Gitta Schlosser,<sup>d</sup>  
Zoltán Mucsi,<sup>a,e,\*</sup> Ervin Kovács<sup>f,\*</sup>

<sup>a</sup>Dept. of Chemistry, Femtonics Ltd., Tűzoltó utca 59, H-1094 Budapest, Hungary

<sup>b</sup>ELTE Hevesy György PhD School of Chemistry, Pázmány Péter stny. 1/A, H-1117 Budapest, Hungary

<sup>c</sup>Dept. of Organic Chemistry, Semmelweis University, Hőgyes Endre utca 7, H-1092 Budapest, Hungary

<sup>d</sup>Dept. of Analytical Chemistry, MTA-ELTE Lendület Ion Mobility Mass Spectrometry Research Group, Institute of Chemistry, ELTE Eötvös Loránd University, Pázmány Péter sétány 1/A, H-1117 Budapest, Hungary

<sup>e</sup>Institute of Chemistry, University of Miskolc, Egyetem út 1, H-3515 Miskolc, Hungary

<sup>f</sup>Polymer Chemistry Research Group, RCNS, Magyar tudósok körútja 2, H-1117 Budapest, Hungary

Email: [zmucsi@femtonics.eu](mailto:zmucsi@femtonics.eu), [kovacs.ervin@ttk.hu](mailto:kovacs.ervin@ttk.hu)

#### Table of Contents

S1.	<sup>1</sup> H NMR of 8-( <i>N</i> <sup>1</sup> , <i>N</i> <sup>1</sup> , <i>N</i> <sup>2</sup> -trimethylethane-1,2-diamino)-quinoline-2-carbaldehyde ( <b>1b</b> )	S3
S2.	<sup>13</sup> C NMR spectrum of 8-( <i>N</i> <sup>1</sup> , <i>N</i> <sup>1</sup> , <i>N</i> <sup>2</sup> -trimethylethane-1,2-diamino)-quinoline-2-carbaldehyde ( <b>1b</b> )	S4
S3.	HRMS spectrum of 8-( <i>N</i> <sup>1</sup> , <i>N</i> <sup>1</sup> , <i>N</i> <sup>2</sup> -trimethylethane-1,2-diamino)-quinoline-2-carbaldehyde ( <b>1b</b> )	S5
S4.	<sup>1</sup> H NMR spectrum of 8-( <i>N</i> -methyl- <i>N</i> -picolylamino)-quinoline-2-carbaldehyde ( <b>1c</b> )	S6
S5.	<sup>13</sup> C NMR spectrum of 8-( <i>N</i> -methyl- <i>N</i> -picolylamino)-quinoline-2-carbaldehyde ( <b>1c</b> )	S7
S6.	HRMS spectrum of 8-( <i>N</i> -methyl- <i>N</i> -picolylamino)-quinoline-2-carbaldehyde ( <b>1c</b> )	S8
S7.	<sup>1</sup> H NMR spectrum of 8-(4-methylpiperazin-1-yl)-quinoline-2-carbaldehyde ( <b>1d</b> )	S9
S8.	<sup>13</sup> C NMR spectrum of 8-(4-methylpiperazin-1-yl)-quinoline-2-carbaldehyde ( <b>1d</b> )	S10
S9.	HRMS spectrum of 8-(4-methylpiperazin-1-yl)-quinoline-2-carbaldehyde ( <b>1d</b> )	S11
S10.	<sup>1</sup> H NMR spectrum of 8-(morpholinyl)-quinoline-2-carbaldehyde ( <b>1e</b> )	S12
S11.	<sup>13</sup> C NMR spectrum of 8-(morpholinyl)-quinoline-2-carbaldehyde ( <b>1e</b> )	S13
S12.	HRMS spectrum of 8-(morpholinyl)-quinoline-2-carbaldehyde ( <b>1e</b> )	S14
S13.	<sup>1</sup> H NMR spectrum of 8-(thiomorpholinyl)-quinoline-2-carbaldehyde ( <b>1f</b> )	S15
S14.	<sup>13</sup> C NMR spectrum of 8-(thiomorpholinyl)-quinoline-2-carbaldehyde ( <b>1f</b> )	S16
S15.	HRMS spectrum of 8-(thiomorpholinyl)-quinoline-2-carbaldehyde ( <b>1f</b> )	S17
S16.	<sup>1</sup> H NMR spectrum of 8-(di-(2-picolyl)amino)-quinoline-2-carbaldehyde ( <b>1g</b> )	S18

S17.	<sup>13</sup> C NMR spectrum of 8-(di-(2-picolyl)amino)-quinoline-2-carbaldehyde ( <b>1g</b> )	S19
S18.	HRMS spectrum of 8-(di-(2-picolyl)amino)-quinoline-2-carbaldehyde ( <b>1g</b> )	S20
S19.	<sup>1</sup> H NMR spectrum of 8-(toluenesulphonamido)-quinoline-2-carbaldehyde ( <b>1h</b> )	S21
S20.	<sup>13</sup> C NMR spectrum of 8-(toluenesulphonamido)-quinoline-2-carbaldehyde ( <b>1h</b> )	S22
S21.	<sup>1</sup> H NMR spectrum of 8-( <i>N</i> <sup>1</sup> , <i>N</i> <sup>1</sup> , <i>N</i> <sup>2</sup> -trimethylethane-1,2-diamino)-quinaldine ( <b>4b</b> )	S23
S22.	<sup>13</sup> C NMR spectrum of 8-( <i>N</i> <sup>1</sup> , <i>N</i> <sup>1</sup> , <i>N</i> <sup>2</sup> -trimethylethane-1,2-diamino)-quinaldine ( <b>4b</b> )	S24
S23.	HRMS spectrum of 8-( <i>N</i> <sup>1</sup> , <i>N</i> <sup>1</sup> , <i>N</i> <sup>2</sup> -trimethylethane-1,2-diamino)-quinaldine ( <b>4b</b> )	S25
S24.	<sup>1</sup> H NMR spectrum of 8-( <i>N</i> -methyl- <i>N</i> -picolylamino)-quinaldine ( <b>4c</b> )	S26
S25.	<sup>13</sup> C NMR spectrum of 8-( <i>N</i> -methyl- <i>N</i> -picolylamino)-quinaldine ( <b>4c</b> )	S27
S26.	HRMS spectrum of 8-( <i>N</i> -methyl- <i>N</i> -picolylamino)-quinaldine ( <b>4c</b> )	S28
S27.	<sup>1</sup> H NMR spectrum of 8-(4-methylpiperazin-1-yl)-quinaldine ( <b>4d</b> )	S29
S28.	<sup>13</sup> C NMR spectrum of 8-(4-methylpiperazin-1-yl)-quinaldine ( <b>4d</b> )	S30
S29.	HRMS spectrum of 8-(4-methylpiperazin-1-yl)-quinaldine ( <b>4d</b> )	S31
S30.	<sup>1</sup> H NMR spectrum of 8-(morpholinyl)-quinaldine ( <b>4e</b> )	S32
S31.	<sup>13</sup> C NMR spectrum of 8-(morpholinyl)-quinaldine ( <b>4e</b> )	S33
S32.	HRMS spectrum of 8-(morpholinyl)-quinaldine ( <b>4e</b> )	S34
S33.	<sup>1</sup> H NMR spectrum of 8-(di-(2-picolyl)amino)-quinaldine ( <b>4g</b> )	S35
S34.	<sup>13</sup> C NMR spectrum of 8-(di-(2-picolyl)amino)-quinaldine ( <b>4g</b> )	S36
S35.	HRMS spectrum of 8-(di-(2-picolyl)amino)-quinaldine ( <b>4g</b> )	S37
S36.	<sup>1</sup> H NMR spectrum of <i>N,N</i> -dimethyl-2-nitroaniline ( <b>6</b> )	S38
S37.	<sup>13</sup> C NMR spectrum of <i>N,N</i> -dimethyl-2-nitroaniline ( <b>6</b> )	S39
S38.	<sup>1</sup> H NMR spectrum of 2- <i>N,N</i> -dimethylamino-aniline ( <b>7</b> )	S40
S39.	<sup>13</sup> C NMR spectrum of 2- <i>N,N</i> -dimethylamino-aniline ( <b>7</b> )	S41
S40.	<sup>1</sup> H NMR spectrum of 8-( <i>N,N</i> -dimethylamino)-quinaldine ( <b>4a</b> )	S42
S41.	HPLC UV and MS chromatograms, mass spectrum and UV-VIS spectrum of 8-( <i>N,N</i> -dimethylamino)-quinaldine ( <b>4a</b> )	S43
S42.	<sup>1</sup> H NMR spectrum of 8-( <i>N,N</i> -dimethylamino)-quinoline-2-carbaldehyde ( <b>1a</b> )	S44
S43.	HPLC UV and MS chromatograms, mass spectrum and UV-VIS spectrum of 8-( <i>N,N</i> -dimethylamino)-quinoline-2-carbaldehyde ( <b>1a</b> )	S45
S44.	<sup>1</sup> H NMR spectrum of 8-(toluenesulphonamido)-quinaldine ( <b>4h</b> )	S46
S45.	<sup>13</sup> C NMR spectrum of 8-(toluenesulphonamido)-quinaldine ( <b>4h</b> )	S47




Figure S1.:  $^1\text{H}$  NMR spectrum of compound **1b** recorded at 600 MHz in  $\text{DMSO-}d_6$ .




Figure S2.:  $^{13}\text{C}$  NMR spectrum of compound **1b** recorded at 150 MHz in  $\text{DMSO-}d_6$ .

CSA203 #145-180 RT: 0.66-0.82 AV: 36 NL: 2.53E8  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S3.: HRMS spectrum of **1b**.




Figure S4.:  $^1\text{H}$  NMR spectrum of compound **1c** recorded at 400 MHz in Chloroform-*d*.




Figure S5.:  $^{13}\text{C}$  NMR spectrum of compound **1c** recorded at 101 MHz in Chloroform-*d*.

PDP183 #117-160 RT: 0.53-0.72 AV: 44 NL: 4.42E8  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S6.: HRMS spectrum of 1c.






Figure S7.:  $^1\text{H}$  NMR spectrum of compound **1d** recorded at 400 MHz in Chloroform-*d*.




Figure S8.:  $^{13}\text{C}$  NMR spectrum of compound **1d** recorded at 101 MHz in Chloroform-*d*.

CSA216 #108-141 RT: 0.49-0.64 AV: 34 NL: 8.46E7  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S9.: HRMS spectrum of 1d.




Figure S10.: <sup>1</sup>H NMR spectrum of compound **1e** recorded at 400 MHz in DMSO-*d*<sub>6</sub>.




Figure S11.:  $^{13}\text{C}$  NMR spectrum of compound **1e** recorded at 101 MHz in  $\text{DMSO-}d_6$ .

CSA215 #108-150 RT: 0.49-0.68 AV: 43 NL: 5.93E8  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S12.: HRMS spectrum of 1e.




Figure S13.: <sup>1</sup>H NMR spectrum of compound **1f** recorded at 400 MHz in DMSO-*d*<sub>6</sub>.




Figure S14.:  $^{13}\text{C}$  NMR spectrum of compound **1f** recorded at 101 MHz in  $\text{DMSO-}d_6$ .



CSA224\_1A #111-146 RT: 0.50-0.66 AV: 36 NL: 2.98E8  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S15.: HRMS spectrum of 1f.




Figure S16.:  $^1\text{H}$  NMR spectrum of compound **1g** recorded at 400 MHz in  $\text{DMSO}-d_6$ .




Figure S17.:  $^{13}\text{C}$  NMR spectrum of compound **1g** recorded at 101 MHz in  $\text{DMSO-}d_6$ .

CSA236 #119-148 RT: 0.54-0.67 AV: 30 NL: 1.00E7  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S18.: HRMS spectrum of 1g.




Figure S19.: <sup>1</sup>H NMR spectrum of compound **1h** recorded at 400 MHz in DMSO-*d*<sub>6</sub>.




Figure S20.:  $^{13}\text{C}$  NMR spectrum of compound **1h** recorded at 101 MHz in  $\text{DMSO-}d_6$ .




Figure S21.:  $^1\text{H}$  NMR spectrum of compound **4b** recorded at 400 MHz in  $\text{DMSO-}d_6$ .




Figure S22.:  $^{13}\text{C}$  NMR spectrum of compound **4b** recorded at 101 MHz in  $\text{DMSO}-d_6$ .



CSA202 #146-155 RT: 0.66-0.70 AV: 10 NL: 4.33E8  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S23.: HRMS spectrum of 4b.




Figure S24.:  $^1\text{H}$  NMR spectrum of compound **4c** recorded at 400 MHz in Chloroform-*d*.




Figure S25.: <sup>13</sup>C NMR spectrum of compound **4c** recorded at 101 MHz in Chloroform-*d*.

PDP168 #113-135 RT: 0.51-0.61 AV: 23 NL: 6.77E8  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S26.: HRMS spectrum of 4c.




Figure S27.: <sup>1</sup>H NMR spectrum of compound **4d** recorded at 400 MHz in DMSO-*d*<sub>6</sub>.




Figure S28.: <sup>13</sup>C NMR spectrum of compound **4d** recorded at 101 MHz in DMSO-*d*<sub>6</sub>.

CSA210 #103-153 RT: 0.47-0.69 AV: 51 NL: 3.36E8  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S29.: HRMS spectrum of 4d.




Figure S30.:  $^1\text{H}$  NMR spectrum of compound **4e** recorded at 400 MHz in  $\text{DMSO-}d_6$ .






Figure S31.:  $^{13}\text{C}$  NMR spectrum of compound **4e** recorded at 101 MHz in  $\text{DMSO}-d_6$ .

CSA213 #115-135 RT: 0.52-0.61 AV: 21 NL: 3.59E9  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S32.: HRMS spectrum of 4e.




Figure S33.:  $^1\text{H}$  NMR spectrum of compound **4g** recorded at 400 MHz in  $\text{DMSO}-d_6$ .




Figure S34.:  $^{13}\text{C}$  NMR spectrum of compound **4g** recorded at 101 MHz in  $\text{DMSO-}d_6$ .

PO003\_2C #115-155 RT: 0.52-0.70 AV: 41 NL: 1.77E9  
T: FTMS + p ESI Full ms [200.0000-1500.0000]




Figure S35.: HRMS spectrum of 4g.




Figure S36.: <sup>1</sup>H NMR spectrum of known compound **6** recorded at 400 MHz in Chloroform-*d*.




Figure S37.:  $^{13}\text{C}$  NMR spectrum of known compound **6** recorded at 101 MHz in Chloroform-*d*.




Figure S38.:  $^1\text{H}$  NMR spectrum of known compound **7** recorded at 400 MHz in Chloroform-*d*.






Figure S39.: <sup>13</sup>C NMR spectrum of known compound **7** recorded at 101 MHz in Chloroform-*d*.




Figure S40.:  $^1\text{H}$  NMR spectrum of known compound **4a** recorded at 400 MHz in Chloroform-*d*.




Figure S41.: HPLC UV and MS chromatograms, mass spectrum and UV-VIS spectrum of known compound 4a.




Figure S42.:  $^1\text{H}$  NMR spectrum of known compound **1a** recorded at 400 MHz in Chloroform-*d*.




Figure S43.: HPLC UV and MS chromatograms, mass spectrum and UV-VIS spectrum of known compound 1a.




Figure S44.: <sup>1</sup>H NMR spectrum of known compound **4h** recorded at 400 MHz in Chloroform-*d*.




Figure S45.:  $^{13}\text{C}$  NMR spectrum of known compound **4h** recorded at 101 MHz in Chloroform-*d*.