

## Supplementary Material

### One-pot synthesis of indenobenzofurans via tandem Michael addition-elimination and palladium-catalysed C-H activation

Vijaykumar Naik and Faiz Ahmed Khan\*



*Department of Chemistry, Indian Institute of Technology Hyderabad, Kandi, Sangareddy,  
502285, India*

*e-mail: [faiz@chy.iith.ac.in](mailto:faiz@chy.iith.ac.in)*



#### Table of Contents


<sup>1</sup> H and <sup>13</sup> C NMR spectra of compounds.....	S2
--	----



$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3a**





$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3b**





$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3c**



$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3d**

$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3e**



$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3f**




$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3g**









$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3h**



$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3i**


$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3j**




$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3k**





$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3I**



$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3m**


$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3n**

$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3o**









$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3p**



$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3q**

$^1\text{H}$  NMR (600 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (150 MHz,  $\text{CDCl}_3$ ) of **3r**




$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3s**



$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3t**




$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3u**





$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3v**







$^1\text{H}$  NMR (600 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (150 MHz,  $\text{CDCl}_3$ ) of **3aa**



$^1\text{H}$  NMR (600 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (150 MHz,  $\text{CDCl}_3$ ) of **3ab**

$^1\text{H}$  NMR (600 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (150 MHz,  $\text{CDCl}_3$ ) of **3ac**

$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3ad**

$^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (100 MHz,  $\text{CDCl}_3$ ) of **3ae**

$^1\text{H}$  NMR (600 MHz,  $\text{CDCl}_3$ ) and  $^{13}\text{C}$  NMR (150 MHz,  $\text{CDCl}_3$ ) of **4a**

