

## Supplementary Material

### Synthesis of novel pyranopyridothienopyrimidines derivatives based on fused thieno[3,2-d][1,3]oxazin-4-one

Valya V. Dabaeva, Iren M. Barkhudaryants, Ervand G. Paronikyan, Shushanik Sh. Dashyan,\* and Meri R. Baghdasaryan



Scientific Technological Center of Organic and Pharmaceutical Chemistry of National Academy of Sciences of Republic of Armenia, Ave. Azatutyun 26, Armenia 0014, Yerevan

Email: [shdashyan@gmail.com](mailto:shdashyan@gmail.com)


### Table of Contents

<sup>1</sup> H and <sup>13</sup> C NMR spectra of 8,8-dimethyl-2-propyl-7,10-dihydro-4H,8H-pyranopyrido[3',2':4,5]-thieno[3,2-d][1,3]oxazin-4-one <b>2</b> .....	S3
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-(butyrylamino)-N-cyclohexyl-7,7-dimethyl-7,8-dihydro-5H-pyranopyrido[4,3-b]thieno[3,2-e]pyridine-2-carboxamide <b>3a</b> .....	S4
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-(butyrylamino)-7,7-dimethyl-N-(1-methyl-3-phenylpropyl)-7,8-dihydro-5H-pyranopyrido[4,3-b]thieno[3,2-e]pyridine-2-carboxamide <b>3b</b> .....	S5
<sup>1</sup> H and <sup>13</sup> C NMR spectra of <i>N</i> -(sec-butyl)-3-(butyrylamino)-7,7-dimethyl-7,8-dihydro-5H-pyranopyrido[4,3-b]thieno[3,2-e]pyridine-2-carboxamide <b>3c</b> .....	S6
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-benzyl-8,8-dimethyl-2-propyl-7,10-dihydro-8H-pyranopyrido[3',2':4,5]-thieno[3,2-d]pyrimidin-4(3 <i>H</i> )-one <b>4a</b> .....	S7
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 8,8-dimethyl-3-(2-phenylethyl)-2-propyl-7,10-dihydro-8H-pyranopyrido[3',2':4,5]-thieno[3,2-d]pyrimidin-4(3 <i>H</i> )-one <b>4b</b> .....	S8
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-allyl-8,8-dimethyl-2-propyl-7,10-dihydro-8H-pyranopyrido[3',2':4,5]-thieno[3,2-d]pyrimidin-4(3 <i>H</i> )-one <b>4c</b> .....	S9
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 8,8-dimethyl-2-propyl-7,10-dihydro-8H-pyranopyrido[3',2':4,5]-thieno[3,2-d]pyrimidin-4(3 <i>H</i> )-one <b>5</b> .....	S10
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-benzyl-8,8-dimethyl-2-propyl-7,10-dihydro-8H-pyranopyrido[3',2':4,5]-thieno[3,2-d]pyrimidin-4(3 <i>H</i> )-one <b>6a</b> .....	S11
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 8,8-dimethyl-3-(2-phenylethyl)-2-propyl-7,10-dihydro-8H-pyranopyrido[3',2':4,5]-thieno[3,2-d]pyrimidin-4(3 <i>H</i> )-one <b>6b</b> .....	S12
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-allyl-8,8-dimethyl-2-propyl-7,10-dihydro-8H-pyranopyrido[3',2':4,5]-thieno[3,2-d]pyrimidin-4(3 <i>H</i> )-one <b>6c</b> .....	S13
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-butyl-8,8-dimethyl-2-propyl-7,10-dihydro-8H-pyranopyrido[3',2':4,5]-thieno[3,2-d]pyrimidin-4(3 <i>H</i> )-one <b>6d</b> .....	S14


<sup>1</sup> H and <sup>13</sup> C NMR spectra of 8,8-dimethyl-3-pentyl-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano[3",4":5',6']pyrido-[3',2':4,5]thieno[3,2- <i>d</i> ]pyrimidin-4(3 <i>H</i> )-one <b>6e</b> .....	S15
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 8,8-dimethyl-3-(3-methylbutyl)-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano[3",4":5',6']pyrido-[3',2':4,5]thieno[3,2- <i>d</i> ]pyrimidin-4(3 <i>H</i> )-one <b>6f</b> .....	S16
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-hexyl-8,8-dimethyl-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano[3",4":5',6']pyrido[3',2':4,5]-thieno[3,2- <i>d</i> ]pyrimidin-4(3 <i>H</i> )-one <b>6g</b> .....	S17
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-heptyl-8,8-dimethyl-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano[3",4":5',6']pyrido-[3',2':4,5]thieno[3,2- <i>d</i> ]pyrimidin-4(3 <i>H</i> )-one <b>6h</b> .....	S18
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 8,8-dimethyl-3-octyl-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano[3",4":5',6']pyrido[3',2':4,5]-thieno[3,2- <i>d</i> ]pyrimidin-4(3 <i>H</i> )-one <b>6i</b> .....	S19
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-[2-(diethylamino)ethyl]-8,8-dimethyl-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano-[3",4":5',6']pyrido[3',2':4,5]thieno[3,2- <i>d</i> ]pyrimidin-4(3 <i>H</i> )-one <b>6j</b> .....	S20
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 8,8-dimethyl-3-(2-morpholin-4-ylethyl)-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano-[3",4":5',6']pyrido[3',2':4,5]thieno[3,2- <i>d</i> ]pyrimidin-4(3 <i>H</i> )-one <b>6k</b> .....	S21
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 3-(4-isopropoxybenzyl)-8,8-dimethyl-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano[3",4":5',6']pyrido[3',2':4,5]thieno[3,2- <i>d</i> ]pyrimidin-4(3 <i>H</i> )-one <b>6l</b> .....	S22
<sup>1</sup> H and <sup>13</sup> C NMR spectra of 2-(8,8-dimethyl-4-oxo-2-propyl-7,10-dihydro-8 <i>H</i> -pyrano[3",4":5',6']pyrido-[3',2':4,5]thieno[3,2- <i>d</i> ]pyrimidin-3(4 <i>H</i> )-yl)- <i>N</i> -(4-methoxyphenyl)acetamide <b>6m</b> .....	S23



**COMPOUND 2****COMPOUND 2**



COMPOUND 3A







COMPOUND 3A







**COMPOUND 3B****COMPOUND 3B**



**COMPOUND 3C****COMPOUND 3C**



**COMPOUND 4A****COMPOUND 4A**



**COMPOUND 4B****COMPOUND 4B**



**COMPOUND 4C****COMPOUND 4C**



**COMPOUND 5****COMPOUND 5**



**COMPOUND 6A****COMPOUND 6A**



**COMPOUND 6B****COMPOUND 6B**



**COMPOUND 6C****COMPOUND 6C**



**COMPOUND 6D****COMPOUND 6D**



**COMPOUND 6E****COMPOUND 6E**



**COMPOUND 6F****COMPOUND 6F**



**COMPOUND 6G****COMPOUND 6G**




**COMPOUND 6i****COMPOUND 6i**

**COMPOUND 6J****COMPOUND 6J**

**COMPOUND 6K****COMPOUND 6K**

**COMPOUND 6L****COMPOUND 6L**

**COMPOUND 6M****COMPOUND 6M**